HAYSMED

Side Effects of Anesthesia

Local Anesthesia

Generally safe and does not cause side effects, aside from **tingling/numbness** as the medication wears off. Other potential side effects:

- ringing in the ears
- dizziness
- twitching

• metallic taste in the mouth

headache

Monitored Anesthesia Care (MAC)

Side effects are usually minimal and may include:

- drowsiness
- trouble waking from sedation
- nausea
- cardiorespiratory depression
- vomiting

Regional Anesthesia

Similar to the side effects of local anesthesia, as listed above, except in a broader area of the body. More specific side effects pertaining to each block include:

- Femoral/Ankle block difficulty moving your leg
- Spinal: bleeding, infection, severe headache, nerve damage
- Interscalene/Shoulder block shallow and very slow breathing, facial numbness or drooping
- Transabdominal Plexus Block (TAP): bruising at the injection site, infection

General Anesthesia

Side effects of general anesthesia include:

- temporary confusion and/or memory loss
- muscle aches
- dizziness/headache
- dry mouth
- difficulty passing urine
- shivering/feeling cold
- nausea and vomiting
- sore throat due to breathing tube
- itching, which is a common side effect of narcotics

In rare, but severe cases:

• Malignant hyperthermia (MH): an inherited condition causing quick onset of fever and muscle contractions. If you or a family member has ever suffered from MH, notify your anesthesiologist in your preoperative assessment.